Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.01.2025

Version 7 (replaces version 6)

Revision: 07.01.2025

· 1.1 Product identi	fier			
Application of the	tified uses of the subst substance / the mixtu	a nce or mixture and use re Sealant/ Adhesive ation in the technical data	-	
• 1.3 Details of the • Manufacturer/Sup Hermann Otto Gmi Krankenhausstraß D-83413 Fridolfing Tel.: 0049/(0)8684 Fax.: 0049/(0)8684	Ь́Н ∋ 14 ′908-0	'ata sheet		
Tel.: 0049- (0)8684 E-Mail: alois.parzin 1.4 Emergency te +44 1865 407333 (phone no.)		
SECTION 2: Ha	azards identificatio	n		
The product is not 2.2 Label element Labelling accordi Hazard pictogram Signal word Void Hazard statement Additional inform Ensure good ventil EUH208 Contains an allergic EUH210 Safety da 2.3 Other hazards During processing point 11). Therefore Results of PBT ar PBT: Not applicable vPvB: Not applicable vPvB: Not applicable Determination of This product does Article 57(f) or Con	ng to Regulation (EC) I s Void ation: ation during application a trimethoxyvinylsilane, N- c reaction. ta sheet available on req and curing of the materia e, ensure good room ver d vPvB assessment e. ole. endocrine-disrupting p not contain components	he GB CLP regulation. No 1272/2008 Void and curing. (3-(trimethoxysilyl)propyl) uest. al, chemical substances a ntilation and, if necessary, properties that are endocrine disrupt ulation (EU) 2017/2100 or	re released into the a exhaust ventilation. tors according to UK	air (see REACH
	omposition/informa	tion on ingredients		
SECTION 3: Co				

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.01.2025

Version 7 (replaces version 6)

Revision: 07.01.2025

Trade name: OTTOCOLL M 500

(Contd. of p		
CAS: 2768-02-7 EINECS: 220-449-8	trimethoxyvinylsilane	<2.5%
Reg.nr.: 01-2119513215-52-		
CAS: 1760-24-3	N-(3-(trimethoxysilyl)propyl)ethylenediamine	<1%
EINECS: 217-164-6 Reg. pr : 01-2119970215-39-	Eye Dam. 1, H318; () Aquatic Chronic 2, H411; xxxx () Acute Tox. 4, H332; Skin Sens. 1, H317	

· Additional information

For the wording of the listed hazard phrases refer to section 16.

Particulate raw materials with risk of inhalation are inextricably bound in the product and therefore does not trigger classification of the product for inhalation hazards. Due to the product's physical properties, particulate inhalation exposure is not possible.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· After skin contact

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

After eye contact
 Rinse opened eye for several minutes under running water. Then consult a doctor.
 After swallowing

Do not induce vomiting; call for medical help immediately. Show container or label.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment:
- Mount respiratory protective device. Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13.

• 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

(Contd. on page 3)

ah

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.01.2025

Version 7 (replaces version 6)

Revision: 07.01.2025

Trade name: OTTOCOLL M 500

(Contd. of page 2)

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. see item 8: Personal protective equipment
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- CAS No. Designation of material % Type Value Unit

Additional Occupational Exposure Limit Values for possible hazards during processing:

67-56-1 methanol

- WEL Short-term value: 333 mg/m³, 250 ppm
 - Long-term value: 266 mg/m³, 200 ppm Sk

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures
- The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Respiratory protection:

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type ABEK according to standard EN 14387) is used.

- · Hand protection Protective gloves.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Recommended glove types: nitrile rubber

- Recommended thickness of the material: >0,4 mm
- · Penetration time of glove material Breakthrough time: 10 30 min
- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- [.] Physical state
- · Colour:
- · Odour:
- Melting point/freezing point:
 Boiling point or initial boiling point a

Fluid According to product specification Characteristic undetermined

· Boiling point or initial boiling point and boiling range

Not applicable.

(Contd. on page 4)

⁻ gb

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.01.2025

Version 7 (replaces version 6)

Revision: 07.01.2025

Trade name: OTTOCOLL M 500

	(Contd. of page
Lower and upper explosion limit	notonnliachla
Lower:	not applicable
Upper:	not applicable
Flash point:	Not applicable (test methods for flash point not vali
	for pasty substances and highly viscous liquids)
Decomposition temperature:	Not determined.
pH	Not applicable.
Viscosity:	Not determined.
Solubility	
Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (le	-
value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	see technical data sheet
Relative density	Not determined.
Vapour density	Not determined.
Relative gas density	undetermined
Particle characteristics	undetermined
9.2 Other information	
Form:	pasty
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Information with regard to physical ha	zard
classes	
Aerosols	Void
Flammable liquids	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. Avoid strong heating.
- **10.3 Possibility of hazardous reactions** Contact with humidity, water and protic agents produces methanol.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: see item 5.2

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

2768-02-7 trimethoxyvinylsilane

Oral LD50 7,100 mg/kg (rat)

Dermal LD50 3,200 mg/kg (rab)

Inhalative LC50/4 h 16.8 mg/l (rat)

1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine

Oral LD50	2,995 mg/kg (rat)
-----------	-------------------

Dermal LD50 >2,000 mg/kg (rab)

(Contd. on page 5)

gb

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.01.2025

Version 7 (replaces version 6)

Revision: 07.01.2025

(Contd. of page 4)

Trade name: OTTOCOLL M 500

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

dermal: not sensitizing

Source: Conclusion by analogy

Test report according to OECD Guideline 406 (Guinea Pigs)

- Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology): Product hydrolyses under formation of methanol (CAS no. 67-56-1). Methanol is toxic by inhalation, in contact with skin and if swallowed. Methanol causes damage to organs. Methanol is highly
- flammable. Inhalation of aerosol spray may damage health.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity** No further relevant information available
- **12.2 Persistence and degradability** No further relevant information available.
- · Other information: Product is not biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

This product does not contain components that are endocrine disruptors according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

12.7 Other adverse effects

· Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- · Recommendation
- Observe local by-laws.

Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

- · Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 6)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.01.2025

Version 7 (replaces version 6)

Revision: 07.01.2025

Trade name: OTTOCOLL M 500

(Contd. of page 5)

14.1 UN number or ID number	
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi	
MO instruments	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- <u>Regulated explosives precursors</u>
 None of the ingredients is listed.
 <u>Regulated poisons</u>
 None of the ingredients is listed.
 <u>Reportable explosives precursors</u>
 None of the ingredients is listed.
- · Reportable poisons

None of the ingredients is listed.

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II
- None of the ingredients is listed. • REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

- Annex II REPORTABLE EXPLOSIVES PRECURSORS
- None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors
- None of the ingredients is listed.
- <u>Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the</u> Community and third countries in drug precursors None of the ingredients is listed.

· National regulations

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 7)

[·] Directive 2012/18/EU

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.01.2025

Version 7 (replaces version 6)

Revision: 07.01.2025

(Contd. of page 6)

Trade name: OTTOCOLL M 500

Details of intermetic net registration status:	(Conta. of pa
Details of international registration status:	
Listed on or in accordance with the following inventories:	
ENCS - Japan listed	
AICS - Australia listed	
UK REACH - Europe listed	
NZIoC - New Zealand not listed	
ECL - Korea not listed	
PICCS - Philippines not listed	
TCSI - Taiwan not listed	
TSCA - USA listed	
DSL- Canada listed	
IECSC - China not listed	
• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been ca	arried out.
SECTION 16: Other information	

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Tel.: 0049- (0)8684- 908- 2363

· Contact: Tel.: 0049- (0)8684- 908- 2363 (-4300)

· Date of previous version: 07.01.2025

· Version number of previous version: 6

 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Lig. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 • * Data compared to the previous version altered.