gb

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version 4 (replaces version 3)

Revision: 10.09.2024

Finding date 10.09.2024	version 4 (replaces version 5)	Revision. 10.09.2024
SECTION 1: Identification	on of the substance/mixture and o	f the company/
· 1.1 Product identifier		
 Trade name: <u>OTTOSEAL S 1</u> Application of the substance 		
• 1.3 Details of the supplier of • Manufacturer/Supplier: Hermann Otto GmbH Krankenhausstraße 14 D-83413 Fridolfing Tel.: 0049/(0)8684/908-0 Fax.: 0049/(0)8684/908-1840	the safety data sheet	
 Further information obtainal Tel.: 0049- (0)8684- 908- 2363 E-Mail: alois.parzinger@otto-cl 1.4 Emergency telephone nu Tel.: 0049- (0) 89- 192 40 (eme +44 1865 407333 (Carechem 2) 	e (-4300) hemie.de mber: ergency telephone no.)	
SECTION 2: Hazards ide	entification	
· 2.1 Classification of the subs		
Classification according to F The product is pot classified a		
	ccording to the GB CLP regulation.	
 2.2 Label elements Labelling according to Regule Hazard pictograms Void Signal word Void Hazard statements Void Additional information: 	lation (EC) No 1272/2008 Void	
Ensure good ventilation during EUH208 Contains 3-aminoprop EUH210 Safety data sheet ava	oyltriethoxysilane. May produce an allergic r	eaction.
	of the material, chemical substances are rele bod room ventilation and, if necessary, exha sessment	
 PBT: Not applicable. vPvB: Not applicable. 		
Determination of endocrine This product does not contain	components that are endocrine disruptors a legated Regulation (EU) 2017/2100 or Com	
SECTION 2: Compositio	n/information on ingradiants	
	on/information on ingredients	
 3.2 Mixtures Description: Polydimethylsilos Dangerous components: 	ane, filler, auxiliaries and oximosilane cross	linker
CAS: 37859-55-5 ELINCS: 484-460-1 Reg.nr.: 01-2120004323-76-xx	2-Pentanone, O,O´,O´´-(methylsilylidyne) () Acute Tox. 4, H302; Eye Irrit. 2, H319 xx	
CAS: 128446-60-6 EC number: 603-274-5 Reg.nr.: Polymer (REACH)	Silsesquioxanes, 3-aminopropyl Me, etho �� Flam. Liq. 3, H226; �� Eye Dam. 1, H 2, H315	-
		ab

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version 4 (replaces version 3)

Revision: 10.09.2024

Trade name: OTTOSEAL \$ 17

(Contd. of page 1) CAS: 919-30-2 3-aminopropyltriethoxysilane <1% EINECS: 213-048-4 Skin Corr. 1B, H314; (1) Acute Tox. 4, H302; Skin Sens. Reg.nr.: 01-2119480479-24-XX 1B, H317 • Additional information Particulate raw materials with risk of inhalation are inextricably bound in the product and therefore does not trigger classification of the product for inhalation hazards. Due to the product's physical properties, particulate inhalation exposure is not possible. **SECTION 4: First aid measures** · 4.1 Description of first aid measures · After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. After skin contact Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing Do not induce vomiting; call for medical help immediately. Show container or label. SECTION 5: Firefighting measures · 5.1 Extinguishing media Suitable extinguishing agents CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters

Protective equipment:

Mount respiratory protective device.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13.
- . 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. see item 8: Personal protective equipment
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 3)

gb

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version 4 (replaces version 3)

Revision: 10.09.2024

(Contd. of page 2)

ab

Trade name: OTTOSEAL S 17

Protect from heat and direct sunlight.

SECTION 8: Ex	posure controls/	/personal	protection

· 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: · Additional information: The lists valid during the making were used as basis. Reaction product 2-Pentanoneoxime CAS: 623-40-5 DNEL (Data for WORKERS) INHALATION Exposure Systemic Effects Long-term: (DNEL) 8,3 mg/m3 Acute/ short term: (DNEL) 24,9 mg/m3 Source: ECHA · 8.2 Exposure controls · Appropriate engineering controls No further data; see section 7. · Individual protection measures, such as personal protective equipment · General protective and hygienic measures The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Respiratory protection: This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type ABEK according to standard EN 14387) is used. Hand protection Protective gloves. · Material of gloves Natural rubber, NR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Recommended glove types: nitrile rubber Recommended thickness of the material: >0,4 mm

- · Penetration time of glove material Breakthrough time: 10 30 min
- Eye/face protection Safety glasses
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and ch General Information 	nemical properties	
Physical state	Fluid	
· Colour:	According to product specification	
· Odour:	Characteristic	
· Melting point/freezing point:	undetermined	
Boiling point or initial boiling point and		
boiling range	undetermined	
· Lower and upper explosion limit		
Lower:	not applicable	
· Upper:	not applicable	
Flash point:	Not applicable (test methods for flash point not valid for pasty substances and highly viscous liquids)	
 Decomposition temperature: 	Not determined.	
·pH ·	Not determined.	
· Viscosity:	Not determined.	
-	(Contd. on page 4)	

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version 4 (replaces version 3)

Revision: 10.09.2024

Trade name: OTTOSEAL S 17

 Solubility Water: Insoluble Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not determined. Density and/or relative density Density: see technical data sheet
 Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density
value) Not determined. Vapour pressure: Not determined. Density and/or relative density Not determined.
· Vapour pressure: Not determined. · Density and/or relative density
· Density and/or relative density
• Density: see technical data sheet
· Relative density Not determined.
· Vapour density Not applicable.
· Particle characteristics undetermined
· 9.2 Other information
· Form: pasty
· Ignition temperature: Product is not selfigniting.
• Explosive properties: Product does not present an explosion hazard.
· Information with regard to physical hazard
classes
· Aerosols Void
· Flammable liquids Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. Avoid strong heating.
- **10.3 Possibility of hazardous reactions** Contact with humidity, water and protic agents produces ethanol. Contact with air humidity, water and protic agents produces 2-pentanone oxime.
- 10.6 Hazardous decomposition products:

see item 5.2

Tests on representative products have shown that above temperatures of 150° C small quantities of formaldehyde are split off.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

37859-55-5 2-Pentanone, O,O´,O´´-(methylsilylidyne)trioxime

Oral LD50 1,234 mg/kg (rat)

919-30-2 3-aminopropyltriethoxysilane

Oral LD50 1,570 mg/kg (rat)

Dermal LD50 4,290 mg/kg (rab)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 5)

gł

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version 4 (replaces version 3)

Revision: 10.09.2024

(Contd. of page 4)

Trade name: OTTOSEAL \$ 17

· Other information (about experimental toxicology):

Ethanol is released upon contact with water (humidity). According to literature, ethanol (67-17-5) irritates the mucous membranes, slightly irritates the skin, degreases the skin, is narcotic and may cause liver damage.

During the application of the product 2-Pentanonoxim (CAS: 623-40-5) is released. 2-Pentanonoxim is harmful if swallowed, causes serious eye irritation, may cause damage to organs through prolonged or repeated exposure and is harmful to aquatic life with long lasting effects.

- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

- **SECTION 12: Ecological information**
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- [•] 12.6 Endocrine disrupting properties

This product does not contain components that are endocrine disruptors according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Observe local by-laws.

Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

- Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information	tion	
· 14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name 		
ADR, ADN, IMDG, IATA	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
• Marine pollutant:	No	
 14.6 Special precautions for user 	Not applicable.	
		(Contd. on page 6)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version 4 (replaces version 3)

Revision: 10.09.2024

(Contd. of page 5)

Trade name: OTTOSEAL S 17

- 14.7 Maritime transport in bulk according to IMO instruments
- Transport/Additional information:

Not applicable. Not dangerous according to the above specifications. Void

· UN "Model Regulation":

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Poisons Act Regulated explosives precursors None of the ingredients is listed. Regulated poisons None of the ingredients is listed. Reportable explosives precursors None of the ingredients is listed. Reportable poisons None of the ingredients is listed. DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II None of the ingredients is listed. · REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed. National regulations · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. · Details of international registration status: Listed on or in accordance with the following inventories: UK REACH - Europe listed AICS - Australia not listed DSL - Canada not listed IECSC - China not listed ENCS - Japan not listed NZIoC - New Zealand not listed PICCS - Philippines not listed ECL - Korea not listed TSCA - USA not listed TCSI - Taiwan not listed 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. (Contd. on page 7)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.09.2024

Version 4 (replaces version 3)

Revision: 10.09.2024

Trade name: OTTOSEAL S 17

(Contd. of page 6) This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.
Relevant phrases H226 Flammable liquid and vapour. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.
Department issuing SDS: Tel.: 0049- (0)8684- 908- 2363 Contact: Tel.: 0049- (0)8684- 908- 2363 (-4300) Date of previous version: 27.08.2021 Version number of previous version: 3 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 2 Skin Sens. 1B: Skin sensitisation – Category 1B Skin Sens. 1B: Skin sensitisation – Category 1
* Data compared to the previous version altered.