

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.07.2024

Version 5 (replaces version 4)

Revision: 23.07.2024




### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **OTTOSEAL S 27**
- **Application of the substance / the mixture** Silicone sealant
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Hermann Otto GmbH  
Krankenhausstraße 14  
D-83413 Fridolfing  
Tel.: 0049/(0)8684/908-0  
Fax.: 0049/(0)8684/908-1840
- **Further information obtainable from:**  
Tel.: 0049- (0)8684- 908- 2363 ( -4300 )  
E-Mail: alois.parzinger@otto-chemie.de
- **1.4 Emergency telephone number:**  
+44 1865 407333 (Carechem 24)  
Tel.: 0049- (0) 89- 192 40 (emergency telephone no.)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The product is not classified, according to the GB CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**  
Ensure good ventilation during application and curing.  
EUH210 Safety data sheet available on request.
- **2.3 Other hazards**  
During processing and curing of the material, chemical substances are released into the air (see point 11). Therefore, ensure good room ventilation and, if necessary, exhaust ventilation.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Determination of endocrine-disrupting properties**  
This product does not contain components that are endocrine disruptors according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
  - **Description:** Polydimethylsiloxane, filler, auxiliaries and acetoxysilane crosslinker
  - **Dangerous components:**
- |                                |   |       |
|--------------------------------|---|-------|
| CAS: 68909-20-6                | Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica  | <5%   |
| EINECS: 272-697-1              |  STOT RE 2, H373, EUH066   |       |
| CAS: 17689-77-9                | ethyltriacetoxysilane   | <2.5% |
| EINECS: 241-677-4              |  Skin Corr. 1B, H314;  Acute Tox. 4, H302, EUH014 |       |
| Reg.nr.: 01-2119881778-15-xxxx |   |       |

(Contd. on page 2)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.07.2024

Version 5 (replaces version 4)

Revision: 23.07.2024

**Trade name: OTTOSEAL S 27**

(Contd. of page 1)

CAS: 160738-91-0	Oligomere und Polymere von Methyltriacetoxysilan	<2.5%
	☞ Skin Corr. 1B, H314, EUH014	
CAS: 4253-34-3	methyilsilanetriyl triacetate	<2.5%
EINECS: 224-221-9	☞ Skin Corr. 1B, H314; ☠ Acute Tox. 4, H302, EUH014	
Reg.nr.: 01-2119962266-32-xxxx		

· **Additional information**

For the wording of the listed hazard phrases refer to section 16.

Particulate raw materials with risk of inhalation are inextricably bound in the product and therefore does not trigger classification of the product for inhalation hazards. Due to the product's physical properties, particulate inhalation exposure is not possible.

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· **After skin contact**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact**

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing**

Do not induce vomiting; call for medical help immediately. Show container or label.

### SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **5.3 Advice for firefighters**

· **Protective equipment:**

Mount respiratory protective device.

Do not inhale explosion gases or combustion gases.

### SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to section 13.

· **6.4 Reference to other sections** See Section 8 for information on personal protection equipment.

### SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

see item 8: Personal protective equipment

(Contd. on page 3)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.07.2024

Version 5 (replaces version 4)

Revision: 23.07.2024

Trade name: OTTOSEAL S 27

(Contd. of page 2)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
  - **Ingredients with limit values that require monitoring at the workplace:**
  - **DNELs**
- 
- |   |   |  |                              |
|---|---|--|------------------------------|
| <b>17689-77-9 ethyltriacetoxysilane</b>       |   |  |                              |
|   | Inhalative Worker, local (long term)    |  | 32.5 mg/m <sup>3</sup> (rat) |
|   | Consumer, local (acute)                 |  | 65 mg/m <sup>3</sup> (rat)   |
|   | Consumer, local (long term)             |  | 10.8 mg/m <sup>3</sup> (rat) |
| <b>4253-34-3 methylsilanetriyl triacetate</b> |   |  |                              |
|   | Dermal Worker, systemic (long term)     |  | 14.5 mg/kg/Tag (rat)         |
|   | Consumer, systemic (long term)          |  | 7.2 mg/kg/Tag (rat)          |
|   | Inhalative Worker, systemic (long term) |  | 25 mg/m <sup>3</sup> (rat)   |
|   | Consumer, local (long term)             |  | 5.1 mg/m <sup>3</sup> (rat)  |
- **CAS No. Designation of material % Type Value Unit**
  - **Additional Occupational Exposure Limit Values for possible hazards during processing:**
- 
- 64-19-7 acetic acid**
- OEL Short-term value: 50 mg/m<sup>3</sup>, 20 ppm  
Long-term value: 25 mg/m<sup>3</sup>, 10 ppm
- WEL Short-term value: 50 mg/m<sup>3</sup>, 20 ppm  
Long-term value: 25 mg/m<sup>3</sup>, 10 ppm
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
  - **Appropriate engineering controls** No further data; see section 7.
  - **Individual protection measures, such as personal protective equipment**
  - **General protective and hygienic measures**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
  - **Respiratory protection:**  
This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type ABEK according to standard EN 14387) is used.
  - **Hand protection** Protective gloves.
  - **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.  
Recommended glove types: nitrile rubber  
Recommended thickness of the material: >0,4 mm
  - **Penetration time of glove material** Breakthrough time: 10 - 30 min
  - **Eye/face protection** Safety glasses
  - **Body protection:** Protective work clothing.

gb

(Contd. on page 4)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.07.2024

Version 5 (replaces version 4)

Revision: 23.07.2024

Trade name: OTTOSEAL S 27

(Contd. of page 3)

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** According to product specification
- **Odour:** Pungent
- **Melting point/freezing point:** undetermined
- **Boiling point or initial boiling point and boiling range** undetermined
- **Lower and upper explosion limit**
- **Lower:** not applicable
- **Upper:** not applicable
- **Flash point:** undetermined
- **Decomposition temperature:** Not determined.
- **pH** Not applicable.
- **Viscosity:** Not determined.
- **Solubility**
- **Water:** Insoluble
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Vapour pressure:** Not determined.
- **Density and/or relative density**
- **Density:** see technical data sheet
- **Relative density** Not determined.
- **Vapour density** Not applicable.
- **Particle characteristics** undetermined
- **9.2 Other information**
- **Form:** pasty
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Information with regard to physical hazard classes**
- **Aerosols** Void
- **Flammable liquids** Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.  
Avoid strong heating.
- **10.3 Possibility of hazardous reactions**  
Acetic acid is formed through contact with air humidity, water and protic agents.
- **10.6 Hazardous decomposition products:**  
see item 5.2  
Tests on representative products have shown that above temperatures of 150° C small quantities of formaldehyde are split off.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 5)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.07.2024

Version 5 (replaces version 4)

Revision: 23.07.2024

**Trade name: OTTOSEAL S 27**

(Contd. of page 4)

- **LD/LC50 values relevant for classification:**

- **17689-77-9 ethyltriacetoxysilane**

- Oral LD50 1,460 mg/kg (rat)

- **Skin corrosion/irritation**

- not irritating

- Source: ECHA

- Test in accordance with: OECD Guideline 404 (rabbit).

- Based on available data, the classification criteria are not met.

- **Serious eye damage/irritation**

- not irritating

- Source: ECHA

- Test in accordance with: OECD Guideline 405 (rabbit).

- Based on available data, the classification criteria are not met.

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT-single exposure** Based on available data, the classification criteria are not met.

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **Other information (about experimental toxicology):**

- In curing the material splits off acetic acid as damp. This may cause irritating effects to skin, eyes or respiratory system.

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

- None of the ingredients is listed.

## SECTION 12: Ecological information

- **12.2 Persistence and degradability**

- **Other information:** Product is not biodegradable.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

- This product does not contain components that are endocrine disruptors according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

- **12.7 Other adverse effects**

- **Additional ecological information:**

- **General notes:**

- Do not allow product to reach ground water, water course or sewage system.

- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

- Observe local by-laws.

- Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

- **Uncleaned packaging:**

- **Recommendation:**

- Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 6)





# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.07.2024

Version 5 (replaces version 4)

Revision: 23.07.2024

**Trade name: OTTOSEAL S 27**

(Contd. of page 6)

· **Details of international registration status:**

**Listed on or in accordance with the following inventories:**

TCSI - Taiwan not listed  
 UK REACH - Europe listed  
 AICS - Australia listed  
 DSL - Canada listed  
 IECSC - China listed  
 ENCS - Japan not listed  
 NZIoC - New Zealand listed  
 PICCS - Philippines listed  
 ECL - Korea listed  
 TSCA - USA listed

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Relevant phrases**

H302 Harmful if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H373 May cause damage to organs through prolonged or repeated exposure.  
 EUH014 Reacts violently with water.  
 EUH066 Repeated exposure may cause skin dryness or cracking.

· **Department issuing SDS:** Tel.: 0049- (0)8684- 908- 2363

· **Contact:** Tel.: 0049- (0)8684- 908- 2363 ( -4300 )

· **Date of previous version:** 12.10.2022

· **Version number of previous version:** 4

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 ICAO: International Civil Aviation Organisation  
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 DNEL: Derived No-Effect Level (UK REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Acute Tox. 4: Acute toxicity – Category 4  
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

· **\* Data compared to the previous version altered.**