

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.07.2024


Version 5 (replaces version 4)

Revision: 01.07.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** OTTOSEAL S 54
- **UFI:** GDE1-U0M9-H00Y-TKHV
- **Application of the substance / the mixture** Silicone sealant
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Hermann Otto GmbH  
Krankenhausstraße 14  
D-83413 Fridolfing  
Tel.: 0049/(0)8684/908-0  
Fax.: 0049/(0)8684/908-1840
- **Further information obtainable from:**  
Tel.: 0049- (0)8684- 908- 2363 ( -4300 )  
E-Mail: alois.parzinger@otto-chemie.de
- **1.4 Emergency telephone number:**  
Tel.: 0049- (0) 89- 192 40 (emergency telephone no.)  
+44 1865 407333 (Carechem 24)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
  - **Classification according to Regulation (EC) No 1272/2008**  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2 H319 Causes serious eye irritation.
  - **2.2 Label elements**
  - **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.
  - **Hazard pictograms**
- 

GHS07
- **Signal word** Warning
  - **Hazard statements**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.
  - **Precautionary statements**  
P102 Keep out of reach of children.  
P271 Use only outdoors or in a well-ventilated area.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
  - **Additional information:** Ensure good ventilation during application and curing.
  - **2.3 Other hazards**  
During processing and curing of the material, chemical substances are released into the air (see point 11). Therefore, ensure good room ventilation and, if necessary, exhaust ventilation.
  - **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
  - **Determination of endocrine-disrupting properties**  
This product does not contain components that are endocrine disruptors according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.07.2024

Version 5 (replaces version 4)

Revision: 01.07.2024

Trade name: OTTOSEAL S 54

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

**Description:** Polydimethylsiloxane, filler, auxiliaries and amine-oxime-silane crosslinker

#### Dangerous components:

CAS: 15901-40-3	N,N',N''-tricyclohexyl-1-methylsilanetriamine	<2.5%
EINECS: 240-040-8	⚠ Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312	
Reg.nr.: 01-2120765341-58-0000		
CAS: 37859-55-5	2-Pentanone, O,O',O''-(methylsilylidyne)trioxime	<2.5%
ELINCS: 484-460-1	⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319	
Reg.nr.: 01-2120004323-76-xxxx		

#### Additional information

For the wording of the listed hazard phrases refer to section 16.

Particulate raw materials with risk of inhalation are inextricably bound in the product and therefore does not trigger classification of the product for inhalation hazards. Due to the product's physical properties, particulate inhalation exposure is not possible.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

##### After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

##### After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

##### After swallowing

Do not induce vomiting; call for medical help immediately. Show container or label.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing agents

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

#### 5.3 Advice for firefighters

##### Protective equipment:

Mount respiratory protective device.

Do not inhale explosion gases or combustion gases.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

#### 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

#### 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

gb  
(Contd. on page 3)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.07.2024

Version 5 (replaces version 4)

Revision: 01.07.2024

Trade name: OTTOSEAL S 54

(Contd. of page 2)

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.  
see item 8: Personal protective equipment

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Storage

**Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

**Information about storage in one common storage facility:** Store away from foodstuffs.

##### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**Ingredients with limit values that require monitoring at the workplace:**

**CAS No. Designation of material % Type Value Unit**

**Additional Occupational Exposure Limit Values for possible hazards during processing:**

##### 108-91-8 cyclohexylamine

WEL Long-term value: 41 mg/m<sup>3</sup>, 10 ppm

##### Additional information:

The lists valid during the making were used as basis.

Reaction product 2-Pentanoneoxime CAS: 623-40-5

DNEL (Data for WORKERS)

INHALATION Exposure

Systemic Effects

Long-term: (DNEL) 8,3 mg/m<sup>3</sup>

Acute/ short term: (DNEL) 24,9 mg/m<sup>3</sup>

Source: ECHA

#### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see section 7.

**Individual protection measures, such as personal protective equipment**

##### General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

##### Respiratory protection:

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type ABEK according to standard EN 14387) is used.

**Hand protection** Protective gloves.

##### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Recommended glove types: nitrile rubber

Recommended thickness of the material: >0,4 mm

**Penetration time of glove material** Breakthrough time: 10 - 30 min

**Eye/face protection** Safety glasses

**Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### General Information

**Physical state**

Fluid

(Contd. on page 4)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.07.2024

Version 5 (replaces version 4)

Revision: 01.07.2024

Trade name: OTTOSEAL S 54

(Contd. of page 3)

· <b>Colour:</b>	According to product specification
· <b>Odour:</b>	Characteristic
· <b>Melting point/freezing point:</b>	undetermined
· <b>Boiling point or initial boiling point and boiling range</b>	undetermined
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	not applicable
· <b>Upper:</b>	not applicable
· <b>Flash point:</b>	Not applicable (test methods for flash point not valid for pasty substances and highly viscous liquids)
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH</b>	Not determined.
· <b>Viscosity:</b>	Not determined.
· <b>Solubility</b>	
· <b>Water:</b>	Insoluble
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Vapour pressure:</b>	Not determined.
· <b>Density and/or relative density</b>	
· <b>Density:</b>	see technical data sheet
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not applicable.
· <b>Particle characteristics</b>	undetermined
· <b>9.2 Other information</b>	
· <b>Form:</b>	pasty
· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Information with regard to physical hazard classes</b>	
· <b>Aerosols</b>	Void
· <b>Flammable liquids</b>	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.  
Avoid strong heating.
- **10.3 Possibility of hazardous reactions**  
Under the effect of humidity, water und protic agents: cyclohexylamin.
- **10.6 Hazardous decomposition products:**  
see item 5.2  
Tests on representative products have shown that above temperatures of 150° C small quantities of formaldehyde are split off.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
  - **Acute toxicity** Based on available data, the classification criteria are not met.
  - **LD/LC50 values relevant for classification:**
- 
- 15901-40-3 N,N',N"-tricyclohexyl-1-methylsilanetriamine**
- Oral LD50 637 mg/kg (rat)  
Dermal LD50 1,594 mg/kg (rat)

(Contd. on page 5)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.07.2024

Version 5 (replaces version 4)

Revision: 01.07.2024

**Trade name: OTTOSEAL S 54**

(Contd. of page 4)

**37859-55-5 2-Pentanone, O,O',O''-(methylsilyldiyl)trioxime**

Oral LD50 1,234 mg/kg (rat)

- **Skin corrosion/irritation** Causes skin irritation.
  - **Serious eye damage/irritation** Causes serious eye irritation.
  - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
  - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
  - **Carcinogenicity** Based on available data, the classification criteria are not met.
  - **Reproductive toxicity** Based on available data, the classification criteria are not met.
  - **STOT-single exposure** Based on available data, the classification criteria are not met.
  - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
  - **Aspiration hazard** Based on available data, the classification criteria are not met.
  - **Other information (about experimental toxicology):**  
 During the application of the product 2-Pentanoxim (CAS: 623-40-5) is released. 2-Pentanoxim is harmful if swallowed, causes serious eye irritation, may cause damage to organs through prolonged or repeated exposure and is harmful to aquatic life with long lasting effects.  
 In contact with dampness product separates a small quantity of cyclohexylamine (108-91-8) which irritates skin, mucous membranes and respiratory system.
  - **11.2 Information on other hazards**
  - **Endocrine disrupting properties**
- 
- None of the ingredients is listed.

**SECTION 12: Ecological information**

- **12.2 Persistence and degradability**
- **Other information:** Product is not biodegradable.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
 This product does not contain components that are endocrine disruptors according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
 Do not allow product to reach ground water, water course or sewage system.  
 Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**  
 Observe local by-laws.  
 Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.
- **Uncleaned packaging:**
- **Recommendation:**  
 Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.  
 Packagings that may not be cleansed are to be disposed of in the same manner as the product.

**SECTION 14: Transport information**

- **14.1 UN number or ID number**
- **ADR, ADN, IMDG, IATA** Void

(Contd. on page 6)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.07.2024

Version 5 (replaces version 4)

Revision: 01.07.2024

**Trade name: OTTOSEAL S 54**

(Contd. of page 5)

- **14.2 UN proper shipping name**  
· ADR, ADN, IMDG, IATA                      *Void*
- **14.3 Transport hazard class(es)**  
· ADR, ADN, IMDG, IATA  
· **Class**    *Void*
- **14.4 Packing group**  
· ADR, IMDG, IATA                              *Void*
- **14.5 Environmental hazards:**
- **Marine pollutant:**                              *No*
- **14.6 Special precautions for user**              *Not applicable.*
- **14.7 Maritime transport in bulk according to IMO instruments**              *Not applicable.*
- **Transport/Additional information:**              *Not dangerous according to the above specifications.*
- **UN "Model Regulation":**                      *Void*

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**
- **Regulated explosives precursors**  
None of the ingredients is listed.
- **Regulated poisons**  
None of the ingredients is listed.
- **Reportable explosives precursors**  
None of the ingredients is listed.
- **Reportable poisons**  
None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction:** 3
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**  
None of the ingredients is listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**  
None of the ingredients is listed.
- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**  
None of the ingredients is listed.
- **Regulation (EC) No 273/2004 on drug precursors**  
None of the ingredients is listed.
- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**  
None of the ingredients is listed.
- **National regulations**
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Details of international registration status:**
- **Listed on or in accordance with the following inventories:**
- UK REACH - Europe              *listed*
- AICS - Australia                  *listed*
- DSL - Canada                      *not listed*
- IECSC - China                    *not listed*
- ENCS - Japan                    *not listed*
- NZIoC - New Zealand              *not listed*

(Contd. on page 7)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.07.2024

Version 5 (replaces version 4)

Revision: 01.07.2024

**Trade name: OTTOSEAL S 54**

(Contd. of page 6)

PICCS - Philippines not listed

ECL - Korea not listed

TSCA - USA listed

TCSI - Taiwan not listed

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

*This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.*

- **Relevant phrases**

- H302 Harmful if swallowed.

- H312 Harmful in contact with skin.

- H314 Causes severe skin burns and eye damage.

- H319 Causes serious eye irritation.

- **Department issuing SDS:** Tel.: 0049- (0)8684- 908- 2363

- **Contact:** Tel.: 0049- (0)8684- 908- 2363 ( -4300 )

- **Date of previous version:** 21.07.2021

- **Version number of previous version:** 4

- **Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association

- GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)

- LC50: Lethal concentration, 50 percent

- LD50: Lethal dose, 50 percent

- PBT: Persistent, Bioaccumulative and Toxic

- vPvB: very Persistent and very Bioaccumulative

- Acute Tox. 4: Acute toxicity – Category 4

- Skin Corr. 1A: Skin corrosion/irritation – Category 1A

- Skin Irrit. 2: Skin corrosion/irritation – Category 2

- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

- **\* Data compared to the previous version altered.**