

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 12.12.2022

Version 4 (replaces version 3)

Revision: 12.12.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: OTTO Siloxan 290 L**
- **UFI: 5EY0-C03K-M009-0XJC**
- **Application of the substance / the mixture** Anti-moisture agent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Hermann Otto GmbH  
Krankenhausstraße 14  
D-83413 Fridolfing  
Tel.: 0049/(0)8684/908-0  
Fax.: 0049/(0)8684/908-1840
- **Further information obtainable from:**  
Tel.: 0049- (0)8684- 908- 2363 ( -4300 )  
E-Mail: alois.parzinger@otto-chemie.de
- **1.4 Emergency telephone number:**  
Tel.: 0049- (0) 89- 192 40 (emergency telephone no.)  
+44 1865 407333 (Carechem 24)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms** GHS08
- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Naphtha (petroleum), hydrotreated heavy
- **Hazard statements**  
H304 May be fatal if swallowed and enters airways.
- **Precautionary statements**

|                |  |
|----------------|--|
| P102           | Keep out of reach of children.   |
| P210           | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.   |
| P271           | Use only outdoors or in a well-ventilated area.  |
| P280           | Wear protective gloves / eye protection / face protection.   |
| P301+P310      | IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  |
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.   |
| P302+P352      | IF ON SKIN: Wash with plenty of soap and water.  |
| P304+P312      | IF INHALED: Call a POISON CENTER/doctor if you feel unwell.  |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention. |
- **Additional information:**  
EUH066 Repeated exposure may cause skin dryness or cracking.
- **Classification system**  
Please note: GB CLP-Regulation, annex 1, paragraph 2.6.4.5:  
No flammable liquid category 3
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 12.12.2022

Version 4 (replaces version 3)

Revision: 12.12.2022

Trade name: OTTO Siloxan 290 L

(Contd. of page 1)

· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

· **Description:** Solvent mixture with additives.

#### · **Dangerous components:**

|                                |   |         |
|--------------------------------|---|---------|
| CAS: 64742-48-9                | Naphtha (petroleum), hydrotreated heavy | 50-100% |
| EINECS: 265-150-3              | ☠ Asp. Tox. 1, H304, EUH066             |         |
| Reg.nr.: 01-2119457273-39-xxxx |   |         |

|                                |                                    |     |
|--------------------------------|------------------------------------|-----|
| CAS: 3648-18-8                 | dioctyltin dilaurate               | <1% |
| EINECS: 222-883-3              | ☠ Repr. 1B, H360D; STOT RE 1, H372 |     |
| Reg.nr.: 01-2119979527-19-0000 |                                    |     |

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

##### · **General information**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

##### · **After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

##### · **After skin contact**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

##### · **After eye contact**

Rinse opened eye for several minutes under running water. Then consult a doctor.

##### · **After swallowing**

Do not induce vomiting; call for medical help immediately. Show container or label.

#### · 4.2 Most important symptoms and effects, both acute and delayed

Headache

Dizziness

Dizziness

Nausea

#### · 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs

### SECTION 5: Firefighting measures

#### · 5.1 Extinguishing media

##### · **Suitable extinguishing agents**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

##### · **For safety reasons unsuitable extinguishing agents** Water with full jet.

#### · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

#### · 5.3 Advice for firefighters

· **Protective equipment:** Do not inhale explosion gases or combustion gases.· **Additional information** Cool endangered receptacles with water spray.

GB

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 12.12.2022

Version 4 (replaces version 3)

Revision: 12.12.2022

Trade name: OTTO Siloxan 290 L

(Contd. of page 2)

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources

#### · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

#### · 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

see item 8: Personal protective equipment

#### · Information about fire - and explosion protection:

Protect against electrostatic charges.

Traces of flammable substances may collect in the steam chamber of enclosed systems. Keep clear of ignition sources.

Highly volatile, flammable constituents are released during processing.

Flammable gas-air mixtures may form in empty receptacles.

#### · 7.2 Conditions for safe storage, including any incompatibilities

##### · Storage

##### · Requirements to be met by storerooms and receptacles:

Provide solvent resistant, sealed floor.

Prevent any seepage into the ground.

##### · Information about storage in one common storage facility: Store away from foodstuffs.

##### · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

#### · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

#### · Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

##### · Appropriate engineering controls No further data; see item 7.

##### · Individual protection measures, such as personal protective equipment

##### · General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Pregnant women should strictly avoid inhalation or skin contact.

##### · Respiratory protection:

Use suitable respiratory protective device when high concentrations are present.

##### · Hand protection Protective gloves.

##### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Recommended glove material: Butyl rubber, BR

Recommended thickness of the material: >0,4 mm

##### · Penetration time of glove material Breakthrough time: 10 - 30 min

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 12.12.2022

Version 4 (replaces version 3)

Revision: 12.12.2022

Trade name: OTTO Siloxan 290 L

(Contd. of page 3)

- **Eye/face protection** Tightly sealed goggles.
- **Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### General Information

- |   |  |
|---|--|
| · <b>Physical state</b>   | Fluid  |
| · <b>Colour:</b>  | Colourless   |
| · <b>Odour:</b>   | Solvent-like   |
| · <b>Melting point/freezing point:</b>                            | undetermined   |
| · <b>Boiling point or initial boiling point and boiling range</b> | >175 °C  |
| · <b>Lower and upper explosion limit</b>                          |  |
| · <b>Lower:</b>   | 0.6 Vol %  |
| · <b>Upper:</b>   | 7 Vol %  |
| · <b>Flash point:</b>   | 57 °C  |
|   | Not regulated as flammable liquid Category 3 – GB CLP-VO app.1, SECTION 2.6.4.5 - Substance does not sustain combustion! (evaluation acc. to ISO 9038) |
| · <b>Decomposition temperature:</b>                               | Not determined.  |
| · <b>pH</b>   | Not applicable.  |
| · <b>Viscosity:</b>   | Not determined.  |
| · <b>Solubility</b>   |  |
| · <b>Water:</b>   | Not determined.  |
| · <b>Partition coefficient n-octanol/water (log value)</b>        | Not determined.  |
| · <b>Vapour pressure:</b>   | Not determined.  |
| · <b>Density and/or relative density</b>                          |  |
| · <b>Density:</b>   | see technical datasheet  |
| · <b>Relative density</b>   | Not determined.  |
| · <b>Vapour density</b>   | Not determined.  |
| · <b>9.2 Other information</b>                                    |  |
| · <b>Form:</b>  | Fluid  |
| · <b>Auto-ignition temperature:</b>                               | Product is not selfigniting.   |
| · <b>Explosive properties:</b>                                    | Product is not explosive. However, formation of explosive air/vapour mixtures are possible.  |
| · <b>Information with regard to physical hazard classes</b>       |  |
| · <b>Aerosols</b>   | Void   |
| · <b>Flammable liquids</b>  | Void   |

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.  
Avoid strong heating.
- **10.3 Possibility of hazardous reactions**  
Danger of receptacles bursting because of high vapour pressure when heated  
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised
- **10.5 Incompatible materials:** Strong oxidizing agents, alkalis, amines, strong acides

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 12.12.2022

Version 4 (replaces version 3)

Revision: 12.12.2022

Trade name: OTTO Siloxan 290 L

(Contd. of page 4)

- 10.6 Hazardous decomposition products: see item 5.2

### SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity

- LD/LC50 values relevant for classification:

#### 64742-48-9 Naphtha (petroleum), hydrotreated heavy

Oral LD50 &gt;5,000 mg/kg (rat)

Dermal LD50 &gt;2,000 mg/kg (rat)

#### 3648-18-8 dioctyltin dilaurate

Oral LD50 6,450 mg/kg (rat)

- **STOT-single exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** May be fatal if swallowed and enters airways.

- 11.2 Information on other hazards

- **Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

- 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects

- **Additional ecological information:**

- **General notes:**

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

### SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- **Recommendation** Liquid residues must be specially treated adhering to official regulations.

- **Uncleaned packaging:**

- **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

### SECTION 14: Transport information

- 14.1 UN number or ID number

- ADR, ADN, IMDG, IATA

Void

- 14.2 UN proper shipping name

- ADR, ADN, IMDG, IATA

Void

- 14.3 Transport hazard class(es)

- ADR, ADN, IMDG, IATA

- Class

Void

- 14.4 Packing group

- ADR, IMDG, IATA

Void

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 12.12.2022

Version 4 (replaces version 3)

Revision: 12.12.2022

Trade name: OTTO Siloxan 290 L

(Contd. of page 5)

- **14.5 Environmental hazards:**
  - **Marine pollutant:** No
  - **14.6 Special precautions for user:** Not applicable.
  - **14.7 Maritime transport in bulk according to IMO instruments:** Not applicable.
  - **Transport/Additional information:** Not dangerous according to the above specifications.
- 
- **ADR**
  - **Remarks:**
    - Road transport: Not regulated in Class 3 - ADR/RID 2.2.3.1.1 NOTE 1 - Substance does not sustain combustion!
    - Rail transport: Not regulated in Class 3 - ADR/RID 2.2.3.1.1 NOTE 1 - Substance does not sustain combustion!
    - Ship transport: Not regulated in Class 3 - IMDG 2.3.1.3 - Substance does not sustain combustion!
    - Air transport: Not regulated in Class 3 - IATA 3.3.1.3 / ICAO 3.1.3 - Substance does not sustain combustion!
  - **UN "Model Regulation":** Void

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Information about limitation of use:**
  - Employment restrictions concerning juveniles must be observed.
  - Employment restrictions concerning pregnant and lactating women must be observed.
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Details of international registration status:**
  - Listed on or in accordance with the following inventories:**
  - TCSI - Taiwan not listed
  - UK REACH - Europe listed
  - AICS - Australia listed
  - DSL - Canada listed
  - IECSC - China listed
  - ENCS - Japan not listed
  - NZIoC - New Zealand not listed
  - PICCS - Philippines listed
  - ECL - Korea listed
  - TSCA - USA listed
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H304 May be fatal if swallowed and enters airways.
  - H360D May damage the unborn child.
  - H372 Causes damage to organs through prolonged or repeated exposure.
  - EUH066 Repeated exposure may cause skin dryness or cracking.
- **Department issuing SDS:** Tel.: 0049- (0)8684- 908- 2363

(Contd. on page 7)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 12.12.2022

Version 4 (replaces version 3)

Revision: 12.12.2022

**Trade name: OTTO Siloxan 290 L**

(Contd. of page 6)

· **Contact:** Tel.: 0049- (0)8684- 908- 2363 ( -4300 )

· **Abbreviations and acronyms:**

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Repr. 1B: Reproductive toxicity – Category 1B*

*STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1*

*Asp. Tox. 1: Aspiration hazard – Category 1*

· **\* Data compared to the previous version altered.**

GB