
according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.01.2025

Version 5 (replaces version 4)

Revision: 21.01.2025



according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.01.2025

Version 5 (replaces version 4)

Revision: 21.01.2025

Trade name: OTTO Siloxan 290 L

(Contd. of page 1)

· Classification system Please note: GB CLP-Regulation, annex 1, paragraph 2.6.4.5: No flammable liquid category 3

· 2.3 Other hazards

## · Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

## · Determination of endocrine-disrupting properties

This product does not contain components that are endocrine disruptors according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

<b>SECTION 3: Com</b>	position/information	on ingredients

- · 3.2 Mixtures
- · Description: Solvent mixture with additives.

<sup>•</sup> Dangerous components: CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy EINECS: 265-150-3 🚸 Asp. Tox. 1, H304, EUH066 Reg.nr.: 01-2119457273-39-xxxx

CAS: 3648-18-8 EINECS: 222-883-3 Reg.nr.: 01-2119979527-19-0000

dioctyltin dilaurate Repr. 1B, H360D; STOT RE 1, H372

<1%

50-100%

• Additional information For the wording of the listed hazard phrases refer to section 16.

# SECTION 4: First aid measures

4.1 Description of first aid measures

## · General information

Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. · After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- After skin contact
- Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.
- · After eye contact
- Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing
- Do not induce vomiting; call for medical help immediately. Show container or label.
- · 4.2 Most important symptoms and effects, both acute and delayed Headache Dizziness Dizziness
- Nausea
- 4.3 Indication of any immediate medical attention and special treatment needed If swallowed or in case of vomiting, danger of entering the lungs

(Contd. on page 3)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.01.2025

Version 5 (replaces version 4)

Revision: 21.01.2025

## Trade name: OTTO Siloxan 290 L

(Contd. of page 2)

## SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- <sup>.</sup> Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment: Do not inhale explosion gases or combustion gases.
- · Additional information Cool endangered receptacles with water spray.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- Keep away from ignition sources
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

## **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. see item 8: Personal protective equipment
- Information about fire and explosion protection: Protect against electrostatic charges. Traces of flammable substances may collect in the steam chamber of enclosed systems. Keep clear ofignition sources. Highly volatile, flammable constituents are released during processing.

*Highly volatile, flammable constituents are released during processing. Flammable gas-air mixtures may form in empty receptacles.* 

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- **Requirements to be met by storerooms and receptacles:** Provide solvent resistant, sealed floor. Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. Store receptacle in a well ventilated area.
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

gb

**Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.01.2025

Version 5 (replaces version 4)

Revision: 21.01.2025

## Trade name: OTTO Siloxan 290 L

uality and varies from manufacturer to manufactor         commended glove material: Butyl rubber, BR         commended thickness of the material: >0,4 mm         betration time of glove material Breakthrough         variation time of glove material Breakthrough         variation:	ed to when handling chemicals. skin contact. h concentrations are present. lepend on the material, but also on further mark turer. time: 10 - 30 min	
sh hands before breaks and at the end of work. id contact with the eyes and skin. gnant women should strictly avoid inhalation or spiratory protection: a suitable respiratory protective device when high and protection Protective gloves. Selection of the suitable gloves does not only of uality and varies from manufacturer to manufac- commended glove material: Butyl rubber, BR commended glove material: Butyl rubber, BR commended thickness of the material: >0,4 mm betration time of glove material Breakthrough value protection Tightly sealed goggles. dy protection: Protective work clothing. <b>CTION 9: Physical and chemical pro</b> Information on basic physical and chemical neral Information vsical state our: Solve ting point/freezing point: und ing range ver and upper explosion limit ver: ober: sh point: composition temperature: Not cosity: ubility ter: Not tition coefficient n-octanol/water (log ue) Not neity and/or relative density nsity: Selve Not	skin contact. h concentrations are present. lepend on the material, but also on further mark turer. time: 10 - 30 min <b>Derties</b> <b>properties</b>	
Indication with the eyes and skin.         Ignant women should strictly avoid inhalation or spiratory protection:         Image: Strictly Protection Protective device when high optication Protective gloves.         Image: Strictly Protection Protective gloves.         Image: Strictly and varies from manufacturer to manufacturer to manufacturer to manufacturer to manufacture and varies from manufacturer to manufacturer to manufacture and varies from manufacturer to manufacture and the strictly sealed goggles.         Approtection: Protective work clothing.         CTION 9: Physical and chemical propersion on basic physical and chemical propersion information on basic physical and chemical propersion information and the strict solution or initial boiling point and ling range         Not:       Solv         Solv:	h concentrations are present. lepend on the material, but also on further mark turer. time: 10 - 30 min <b>Derties</b> properties urless ent-like	
gnant women should strictly avoid inhalation or spiratory protection:         a suitable respiratory protective device when higher of protection Protective gloves.         a selection of the suitable gloves does not only or uality and varies from manufacturer to manufactor to the suitable glove material. Butyl rubber, BR         commended thickness of the material: >0,4 mm         betration time of glove material Breakthrough         offace protection Tightly sealed goggles.         dy protection: Protective work clothing.         CTION 9: Physical and chemical proport.         Information on basic physical and chemical proport.         our:       Color:         cour:       Color         cour:       Color         four:       Color <t< td=""><td>h concentrations are present. lepend on the material, but also on further mark turer. time: 10 - 30 min <b>Derties</b> properties urless ent-like</td></t<>	h concentrations are present. lepend on the material, but also on further mark turer. time: 10 - 30 min <b>Derties</b> properties urless ent-like	
spiratory protection:         a suitable respiratory protective device when higher of protection Protective gloves.         berial of gloves         a selection of the suitable gloves does not only of uality and varies from manufacturer to manufactor to material Breakthrough of the selection Tightly sealed goggles.         CTION 9: Physical and chemical provemental Information       Color         Cour:       Color         Solve:       Color         Solve:       Solve:         fing point or initial boiling point and       Ingrame         ling range       >17%         wer:       0.6 %         comp	h concentrations are present. lepend on the material, but also on further mark turer. time: 10 - 30 min <b>Derties</b> properties urless ent-like	
a suitable respiratory protective device when high         and protection Protective gloves.         berial of gloves         beselection of the suitable gloves does not only or         commended glove material: Butyl rubber, BR         commended thickness of the material: >0,4 mm         betration time of glove material Breakthrough         offace protection Tightly sealed goggles.         dy protection: Protective work clothing.         CTION 9: Physical and chemical production         Information on basic physical and chemical production         vsical state       Fluid         four:       Cold         cour:       Solv         four:       Cold         our:       Solv         our:       Solv         four:       Cold         our:       Solv         four:       Cold         our:       Solv         four:       Cold         four:       Solv         four:       Not	lepend on the material, but also on further mark turer. time: 10 - 30 min <b>Derties</b> <b>properties</b> urless ent-like	
and protection Protective gloves.         serial of gloves         e selection of the suitable gloves does not only of uality and varies from manufacturer to manufactorer to color to manufactorer to manufactorer to manufactorer to manufactorer to manufactorer to manufactorer to to manufactorer to to manufactorer to manufactorer t	lepend on the material, but also on further mark turer. time: 10 - 30 min <b>Derties</b> <b>properties</b> urless ent-like	
a selection of the suitable gloves does not only of uality and varies from manufacturer to manufac- commended glove material: Butyl rubber, BR commended thickness of the material: >0,4 mm thetration time of glove material Breakthrough offace protection Tightly sealed goggles. The protection: Protective work clothing. CTION 9: Physical and chemical proof Information on basic physical and chemical neral Information visical state Fluid four: Color Solve ting point/freezing point: under ling range >17: mmability Flan ver and upper explosion limit ver: 0.6 V oper: 7 Vc sh point: 57 ° Not cosity: Not ubility ter: Not tition coefficient n-octanol/water (log ue) Not pour pressure: Not nsity and/or relative density nsity: see	turer. time: 10 - 30 min <b>Derties</b> <b>properties</b> urless ent-like	
uality and varies from manufacturer to manufactor         commended glove material: Butyl rubber, BR         commended thickness of the material: >0,4 mm         betration time of glove material Breakthrough         variation time of glove material Breakthrough         variation:	turer. time: 10 - 30 min <b>Derties</b> <b>properties</b> urless ent-like	
commended glove material: Butyl rubber, BR commended thickness of the material: >0,4 mm petration time of glove material Breakthrough offace protection Tightly sealed goggles. The protection: Protective work clothing. CTION 9: Physical and chemical pro Information on basic physical and chemical neral Information vsical state Fluid our: Color our: Solv ting point/freezing point: under ling range >17: mmability Flan ver and upper explosion limit ver: 0.6 V oper: 7 Vo sh point: 57 ° Not cosity: Not ubility ter: Not tition coefficient n-octanol/water (log ue) Not pour pressure: Not notity and/or relative density nsity: see	time: 10 - 30 min Derties properties urless ent-like	
commended thickness of the material: >0,4 mm betration time of glove material Breakthrough offace protection Tightly sealed goggles. Ty protection: Protective work clothing. CTION 9: Physical and chemical pro Information on basic physical and chemical neral Information vsical state Fluid four: Colo four: Colo four: Solv ting point/freezing point: under ling point or initial boiling point and ling range Solv ting point or initial boiling point and ling range Solv twer: Colo four: Solv ting point or initial boiling point and ling range Solv twer and upper explosion limit ver: Corrish point: Solv twer: Not cosity: Not ubility ter: Not tition coefficient n-octanol/water (log ue) Not pour pressure: Not notity and/or relative density nsity: See	perties properties urless ent-like	
betration time of glove material Breakthrough         befrace protection Tightly sealed goggles.         dy protection: Protective work clothing. <b>CTION 9: Physical and chemical pro</b> Information on basic physical and chemical neral Information         vsical state       Fluid         bour:       Cold         bour:       Cold         bour:       Solv         ting point/freezing point:       unde         ling range       >173         mmability       Flan         ver and upper explosion limit       Ver:         ver:       0.6 V         bount:       Solv         composition temperature:       Not         cosity:       Not         ubility       Ver:         ter:       Not         cosity:       Not         ubility       Not         ubility       Not         ter:       Not         cour pressure:       Not         pour pressure:       Not         pour pressure:       Not	perties properties urless ent-like	
Afface protection Tightly sealed goggles.         dy protection: Protective work clothing.         CTION 9: Physical and chemical pro         Information on basic physical and chemical neral Information         vsical state       Fluid         our:       Cold         our:       Cold         our:       Cold         our:       Cold         our:       Solv         ling point/freezing point:       under         ling range       >173         mmability       Flan         ver and upper explosion limit       Ver         ver:       0.6 V         ober:       7 Vc         ober:       Not         composition temperature:       Not         ubility       ter:       Not         ubility       Ver       Not         ubility       Ver       Not         ubility       Ver       Not         ubility       Not       Not         ubility and/or relative d	perties properties urless ent-like	
dy protection: Protective work clothing.         CTION 9: Physical and chemical protection on basic physical and chemical neral Information         neral Information         vsical state       Fluid         our:       Cold         our:       Cold         our:       Solv         ting point/freezing point:       unde         ling range       >17.5         mmability       Flan         ver and upper explosion limit       ver:         ver:       0.6 V         oper:       7 Vc         oper:       800         oper:       7 Vc         oper:       Not         oper:       Not         oper:	<b>properties</b> urless ent-like	
Information on basic physical and chemical neral Information vsical stateFluid Cold Cold Dur:cour:Cold Cold Dur:Cold Cold Solvcour:Solvting point/freezing point:undeling point or initial boiling point and ling range>17.3mmabilityFlan ver and upper explosion limit ver:0.6 V Ocer:ver and upper explosion limit ver:0.6 V Ocer:sh point:57 ° Not CLP not scomposition temperature:Not Not Vot Vot ter:cosity:Not Not tition coefficient n-octanol/water (log ue)ue)Not not sity and/or relative density nsity:	<b>properties</b> urless ent-like	
Information on basic physical and chemical neral Information vsical stateFluid Cold Cold Dur:cour:Cold Cold Dur:Cold Cold Solvcour:Solvting point/freezing point:undeling point or initial boiling point and ling range>17.3mmabilityFlan ver and upper explosion limit ver:0.6 V Ocer:ver and upper explosion limit ver:0.6 V Ocer:sh point:57 ° Not CLP not scomposition temperature:Not Not Vot Vot ter:cosity:Not Not tition coefficient n-octanol/water (log ue)ue)Not not sity and/or relative density nsity:	<b>properties</b> urless ent-like	
Information on basic physical and chemical neral Information vsical stateFluid Cold Cold Dur:cour:Cold Cold Dur:Cold Cold Solvcour:Solvting point/freezing point:undeling point or initial boiling point and ling range>17.3mmabilityFlan ver and upper explosion limit ver:0.6 V Ocer:ver and upper explosion limit ver:0.6 V Ocer:sh point:57 ° Not CLP not scomposition temperature:Not Not Vot Vot ter:cosity:Not Not tition coefficient n-octanol/water (log ue)ue)Not not sity and/or relative density nsity:	<b>properties</b> urless ent-like	
neral Informationvsical stateFluicour:Coldour:Solvour:Solvting point/freezing point:undeling point or initial boiling point andIing rangeling range>17.5mmabilityFlanver and upper explosion limitver:ver:0.6 Vober:7 Vcober:57 °sh point:57 °composition temperature:Notcosity:Notubilityter:ter:Nottition coefficient n-octanol/water (logNotue)Notpour pressure:Notnotity and/or relative densitysee	urless ent-like	
our:Coloour:Solvting point/freezing point:undeling point or initial boiling point andling rangeimmabilityFlanwer and upper explosion limitver:ver:0.6 Voper:7 Vcoper:7 Vcoper:57 °NotCLPcomposition temperature:NotubilityNotttriion coefficient n-octanol/water (logNotue)Notpour pressure:Notnotisity and/or relative densitysee	urless ent-like	
SolveSolvebur:Solveting point or initial boiling point andling range>173mmabilityFlanver and upper explosion limitver:ver:0.6 Vber:7 Vcber:57 °scomposition temperature:Notcosity:Notubilityter:tition coefficient n-octanol/water (logNotbey persone:Notbey persone:Notsity and/or relative densitySee	ent-like	
ting point/freezing point:underling point or initial boiling point andling range>173immabilityFlanwer and upper explosion limitver:0.6 Vver:0.6 V0.6 Vber:7 Vcsh point:57 °NotCLPcomposition temperature:NotubilityNotubilityNotttriion coefficient n-octanol/water (logNotue)Notpour pressure:Notnosity and/or relative densitysee		
ling point or initial boiling point and ling range>173 >>174 mmabilitymmabilityFlan ver and upper explosion limit ver:0.6 V 0.6 V <b< td=""><td>termined</td></b<>	termined	
ling range>17.5mmabilityFlamver and upper explosion limit.6ver:0.6oper:7oper:7oper:57 °Not.6composition temperature:Notcomposition temperature:Notubility		
mmabilityFlanver and upper explosion limit0.6 Vver:0.6 Voer:7 Vcober:7 Vcsh point:57 °Not57 °NotCLPnot scomposition temperature:Notcosity:NotubilityNotter:Nottition coefficient n-octanol/water (logue)Notpour pressure:Notnotity and/or relative densitysee	5 °C	
ver and upper explosion limitver:0.6 Voer:7 Vcober:7 Vcsh point:57 °NotCLPnot scomposition temperature:Notcosity:NotubilityNotter:Nottition coefficient n-octanol/water (logue)Notpour pressure:Notnotity and/or relative densitynsity:see	mable.	
ver:0.6 Voper:7 Vcoper:7 Vcsh point:57 °NotCLPnot scomposition temperature:Notcosity:NotubilityNotter:Nottition coefficient n-octanol/water (logue)Notpour pressure:Notnotity and/or relative densitynsity:see		
sh point:57 °NotCLPnot scomposition temperature:Notcosity:Notubilityter:Nottition coefficient n-octanol/water (logue)Notpour pressure:Notnotity and/or relative densitynsity:see	/ol %	
NotCLPnot scomposition temperature:Notcosity:NotubilityNotter:Nottition coefficient n-octanol/water (logue)Notpour pressure:Notnsity and/or relative densitynsity:see		
CLP not scomposition temperature:Notcosity:Notubility ter:Nottition coefficient n-octanol/water (log ue)Notoour pressure:Notnsity and/or relative density nsity:See	-	
not scomposition temperature:NotNotNotcosity:Notubilityter:Nottition coefficient n-octanol/water (logNotue)Notpour pressure:Notnsity and/or relative densitySee	egulated as flammable liquid Category 3 – GB VO app.1, SECTION 2.6.4.5 - Substance does	
composition temperature:Not Notcosity:NotubilityNotter:Nottition coefficient n-octanol/water (logue)Notpour pressure:Notnsity and/or relative densitynsity:see	ustain combustion! (evaluation acc. to ISO 903	
Notcosity:NotubilityNotter:Nottition coefficient n-octanol/water (logue)Notpour pressure:Notnsity and/or relative densitynsity:see	determined.	
ubility ter:Nottition coefficient n-octanol/water (log ue)Notoour pressure:Notsity and/or relative density nsity:see	applicable.	
ter:Nottition coefficient n-octanol/water (logue)Notpour pressure:Notnsity and/or relative densitynsity:see	letermined.	
tition coefficient n-octanol/water (logue)Notpour pressure:Notnsity and/or relative densityNotnsity:see		
ue)       Not         pour pressure:       Not         nsity and/or relative density       nsity:	determined.	
Dour pressure:Notnsity and/or relative densitynsity:nsity:see	letermined.	
nsity and/or relative density nsity: see	letermined.	
nsity: see		
	echnical data sheet	
ative density Not	determined.	
oour density Not	letermined.	
ticle characteristics unde	termined	
Other information		
m: Fluid		
	Product is not selfigniting.	
	uct is not explosive. However, formation of positive air/vapour mixtures are possible.	
ormation with regard to physical hazard		
sses		
rosols Voia		

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.01.2025

Version 5 (replaces version 4)

Revision: 21.01.2025

Trade name: OTTO Siloxan 290 L

· Flammable liquids

Void

(Contd. of page 4)

# **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

• **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. Avoid strong heating.

• **10.3 Possibility of hazardous reactions** Danger of receptacles bursting because of high vapour pressure when heated Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised

· 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: Strong oxidizing agents, alkalis, amines, strong acides

• 10.6 Hazardous decomposition products: see item 5.2

# **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

## 64742-48-9 Naphtha (petroleum), hydrotreated heavy

Oral LD50 >5,000 mg/kg (rat)

## Dermal LD50 >2,000 mg/kg (rat)

3648-18-8 dioctyltin dilaurate

## Oral LD50 6,450 mg/kg (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard May be fatal if swallowed and enters airways.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity No further relevant information available
- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

This product does not contain components that are endocrine disruptors according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

(Contd. on page 6)

gb

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.01.2025

Version 5 (replaces version 4)

Revision: 21.01.2025

## Trade name: OTTO Siloxan 290 L

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation Liquid residues must be specially treated adhering to official regulations.

- · Uncleaned packaging:
- · Recommendation:

*Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.* 

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

# SECTION 14: Transport information

<ul> <li>14.1 UN number or ID number</li> <li>ADR, ADN, IMDG, IATA</li> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> <li>14.3 Transport hazard class(es)</li> </ul>	Void Void
· ADR, ADN, IMDG, IATA · Class · 14.4 Packing group	Void
ADR, IMDG, IATA 14.5 Environmental hazards:	Void
<ul> <li>Marine pollutant:</li> <li>14.6 Special precautions for user</li> <li>14.7 Maritime transport in bulk according</li> </ul>	No Not applicable. <b>to</b>
IMO instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· ADR	
· Remarks:	Road transport: Not regulated in Class 3 - ADR/RID 2.2.3.1.1 NOTE 1 - Substance does not sustain combustion! Rail transport: Not regulated in Class 3 - ADR/RID 2.2.3.1.1 NOTE 1 - Substance does not sustain combustion! Ship transport: Not regulated in Class 3 - IMDG 2.3.1.3 - Substance does not sustain combustion! Air transport: Not regulated in Class 3 - IATA 3.3.1.3 / ICAO 3.1.3 - Substance does not sustain
· UN "Model Regulation":	combustion! Void

(Contd. on page 7)

(Contd. of page 5)

**Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.01.2025

Version 5 (replaces version 4)

Revision: 21.01.2025

Trade name: OTTO Siloxan 290 L

	(Contd. of page
SECTION 15: Regulatory information	
• 15.1 Safety, health and environmental regulations/legislation specific for the su mixture • Poisons Act • Regulated explosives precursors	ubstance or
None of the ingredients is listed. <b>Regulated poisons</b>	
None of the ingredients is listed. Reportable explosives precursors	
None of the ingredients is listed. <b>Reportable poisons</b>	
None of the ingredients is listed.	
Directive 2012/18/EU Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 Qualifying quantity (tonnes) for the application of upper-tier requirements 50.00 REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 Regulation (EU) No 649/2012	
3648-18-8 dioctyltin dilaurate: Annex I Part 1 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous subst	ances in
electrical and electronic equipment – Annex II	
None of the ingredients is listed. <b>REGULATION (EU) 2019/1148</b> <u>Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the</u> )	purpose of
licensing under Article 5(3))	
None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS	
None of the ingredients is listed. <b>Regulation (EC) No 273/2004 on drug precursors</b>	
None of the ingredients is listed. <u>Regulation (EC) No 111/2005 laying down rules for the monitoring of trade betw</u> <u>Community and third countries in drug precursors</u>	veen the
None of the ingredients is listed.	
-	
National regulations	
<i>Information about limitation of use:</i> <i>Employment restrictions concerning juveniles must be observed.</i> <i>Employment restrictions concerning pregnant and lactating women must be observed</i>	d.
Water hazard class 1 (Self-assessment): slightly hazardous forDetails of international registration status:Listed on or in accordance with the following inventories:TCSI - Taiwannot listedUK REACH - EuropelistedAICS - AustralialistedDSL- CanadalistedIECSC - ChinalistedENCS - Japannot listedNZIoC - New Zealandnot listedPICCS - PhilippineslistedECL - KorealistedTSCA - USAlisted	water.
TSCA - USA listed 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been c	arried out.

(Contd. on page 8)

gb

**Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.01.2025

Version 5 (replaces version 4)

Revision: 21.01.2025

Trade name: OTTO Siloxan 290 L

(Contd. of page 7)

0507	
SECH	ON 16: Other information
for any This Sa	ormation is based on our present knowledge. However, this shall not constitute a guarante specific product features and shall not establish a legally valid contractual relationship. fety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as ed by Regulation (EU) 2020/878.
H304 H360D H372	<b>nt phrases</b> May be fatal if swallowed and enters airways. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. 6 Repeated exposure may cause skin dryness or cracking.
Contac Date of Versior	nent issuing SDS: Tel.: 0049- (0)8684- 908- 2363 t: Tel.: 0049- (0)8684- 908- 2363 ( -4300 ) previous version: 12.12.2022 n number of previous version: 4 istications and communications of the second
ADR: Acc the Intern IMDG: Int IATA: Inte	<b>iations and acronyms:</b> ord relatif au transport international des marchandises dangereuses par route (European Agreement Concernir ational Carriage of Dangerous Goods by Road) ernational Maritime Code for Dangerous Goods ernational Air Transport Association bally Harmonised System of Classification and Labelling of Chemicals
EINECS: ELINCS: CAS: Che	European Inventory of Existing Commercial Chemical Substances European List of Notified Chemical Substances Emical Abstracts Service (division of the American Chemical Society) Thal concentration, 50 percent
LD50: Let PBT: Per: vPvB: ver	thal dose, 50 percent sistent, Bioaccumulative and Toxic y Persistent and very Bioaccumulative
STOT RE Asp. Tox.	Reproductive toxicity – Category 1B 1: Specific target organ toxicity (repeated exposure) – Category 1 1: Aspiration hazard – Category 1 <b>compared to the previous version altered.</b>
Data	