gb

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.10.2024

Version 6 (replaces version 5)

Revision: 22.10.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
 Trade name: <u>OTTOCOLL M 595</u> Application of the substance / the mixture Sealant/ Adhesive
• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Hermann Otto GmbH Krankenhausstraße 14 D-83413 Fridolfing Tel.: 0049/(0)8684/908-0 Fax.: 0049/(0)8684/908-1840
 Further information obtainable from: Tel.: 0049- (0)8684- 908- 2363 (-4300) E-Mail: alois.parzinger@otto-chemie.de 1.4 Emergency telephone number: +44 1865 407333 (Carechem 24) Tel.: 0049- (0) 89- 192 40 (emergency telephone no.)
SECTION 2: Hazards identification
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void Additional information: Ensure good ventilation during application and curing. EUH208 Contains trimethoxyvinylsilane, N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction. EUH210 Safety data sheet available on request. 2.3 Other hazards During processing and curing of the material, chemical substances are released into the air (see point 11). Therefore, ensure good room ventilation and, if necessary, exhaust ventilation. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Determination of endocrine-disrupting properties This product does not contain components that are endocrine disruptors according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.
SECTION 3: Composition/information on ingredients
 3.2 Mixtures Description: Adhesive and sealant based on silane-terminated polymers (hybrid) Dangerous components:
CAS: 2768-02-7 trimethoxyvinylsilane <2.5% EINECS: 220-449-8 Reg.nr.: 01-2119513215-52-xxxx 1B, H317 CAS: 2768-02-7 Skin Sens. Reg.nr.: 01-2119513215-52-xxxx 1B, H317
CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine <1% EINECS: 217-164-6
(Contd. on page 2)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.10.2024

Version 6 (replaces version 5)

Revision: 22.10.2024

(Contd. of page 1)

Trade name: OTTOCOLL M 595

· Additional information

For the wording of the listed hazard phrases refer to section 16.

Particulate raw materials with risk of inhalation are inextricably bound in the product and therefore does not trigger classification of the product for inhalation hazards. Due to the product's physical properties, particulate inhalation exposure is not possible.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

- If skin irritation continues, consult a doctor.
- · After eye contact
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Do not induce vomiting; call for medical help immediately. Show container or label.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:
- Mount respiratory protective device.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to section 13.
- 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. see item 8: Personal protective equipment
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 3)

[–] gb

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.10.2024

Version 6 (replaces version 5)

Revision: 22.10.2024

(Contd. of page 2)

Trade name: OTTOCOLL M 595

Protect from heat and direct sunlight.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

- · Ingredients with limit values that require monitoring at the workplace:
- CAS No. Designation of material % Type Value Unit
- Additional Occupational Exposure Limit Values for possible hazards during processing:

67-56-1 methanol

WEL Short-term value: 333 mg/m³, 250 ppm Long-term value: 266 mg/m³, 200 ppm Sk

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type ABEK according to standard EN 14387) is used.

- · Hand protection Protective gloves.
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Recommended glove types: nitrile rubber

Recommended thickness of the material: >0,4 mm

· Penetration time of glove material Breakthrough time: 10 - 30 min

- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing.
- **SECTION 9: Physical and chemical properties**

General Information	Eluid
Physical state	Fluid
Colour:	According to product specification
Odour:	Characteristic
Melting point/freezing point:	undetermined
Boiling point or initial boiling point and	
boiling range	Not applicable.
Lower and upper explosion limit	
Lower:	not applicable
Upper:	not applicable
Flash point:	Not applicable (test methods for flash point not valid
-	for pasty substances and highly viscous liquids)
Decomposition temperature:	Not determined.
pH .	Not applicable.
Viscosity:	Not determined.
Solubility	
Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure:	Not applicable.
	(Contd. on page 4)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.10.2024

Version 6 (replaces version 5)

Revision: 22.10.2024

Trade name: OTTOCOLL M 595

	(Contd. of page 3)
 Density and/or relative density 	
Density:	see technical data sheet
· Relative density	Not determined.
· Vapour density	Not applicable.
· Relative gas density	undetermined
 Particle characteristics 	undetermined
• 9.2 Other information	
· Form:	pasty
 Ignition temperature: 	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Information with regard to physic	cal hazard
classes	
· Aerosols	Void
· Flammable liquids	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. Avoid strong heating.
- **10.3 Possibility of hazardous reactions** Contact with humidity, water and protic agents produces methanol.
- 10.6 Hazardous decomposition products: see item 5.2

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

2768-02-7 trimethoxyvinylsilane

Oral LD50 7,100 mg/kg (rat)

Dermal LD50 3,200 mg/kg (rab)

Inhalative LC50/4 h 16.8 mg/l (rat)

1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine

Oral LD50 2,995 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rab)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

dermal: not sensitizing

Source: Conclusion by analogy

Test report according to OECD Guideline 406 (Guinea Pigs)

Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 5)

⁻ gł

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.10.2024

Version 6 (replaces version 5)

Revision: 22.10.2024

Trade name: OTTOCOLL M 595

· Other information (about experimental toxicology):

Product hydrolyses under formation of methanol (CAS no. 67-56-1). Methanol is toxic by inhalation, in contact with skin and if swallowed. Methanol causes damage to organs. Methanol is highly flammable. Inhalation of aerosol spray may damage health.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.2 Persistence and degradability
- · Other information: Product is not biodegradable.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

This product does not contain components that are endocrine disruptors according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Observe local by-laws.

Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information		
· 14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void	
[.] 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
 14.3 Transport hazard class(es) 		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
[•] 14.6 Special precautions for user	Not applicable.	
		(Contd. on page

(Contd. of page 4)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.10.2024

Version 6 (replaces version 5)

Revision: 22.10.2024

Trade name: OTTOCOLL M 595 (Contd. of page 5) 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: Not dangerous according to the above specifications. · UN "Model Regulation": Void SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Poisons Act · Regulated explosives precursors None of the ingredients is listed. Regulated poisons None of the ingredients is listed. Reportable explosives precursors None of the ingredients is listed. · Reportable poisons None of the ingredients is listed. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II None of the ingredients is listed. · REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. • Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the inaredients is listed. Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed. · National regulations · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. · Details of international registration status: Listed on or in accordance with the following inventories: UK REACH - Europe listed NZIoC - New Zealand listed AICS - Australia listed IECSC - China listed ENCS - Japan not listed DSL- Canada listed ECL - Korea not listed TSCA - USA listed TCSI - Taiwan not listed PICCS - Philippines listed 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.10.2024

Version 6 (replaces version 5)

Revision: 22.10.2024

Trade name: OTTOCOLL M 595

(Contd. of page 6)

SECTION 16: Other inform	nation
for any specific product features	present knowledge. However, this shall not constitute a guarantee and shall not establish a legally valid contractual relationship. npliance with Regulation (EC) No 1907/2006, Article 31 as 20/878.
Relevant phrases H226 Flammable liquid and vapor H317 May cause an allergic skin H318 Causes serious eye damag H332 Harmful if inhaled. H411 Toxic to aquatic life with lor	reaction. Ie.
• Department issuing SDS: Tel.: (• Contact: Tel.: 0049- (0)8684- 90 • Date of previous version: 12.07 • Version number of previous ve	8- 2363 (-4300) 7.2023
the International Carriage of Dangerous C IMDG: International Maritime Code for Da IATA: International Air Transport Associa GHS: Globally Harmonised System of Cla EINECS: European Inventory of Existing ELINCS: European List of Notified Chemic CAS: Chemical Abstracts Service (division LC50: Lethal concentration, 50 percent DBT: Persistent, Bioaccumulative and To	angerous Goods tion assification and Labelling of Chemicals Commercial Chemical Substances ical Substances on of the American Chemical Society) xic
vPvB: very Persistent and very Bioaccum Flam. Liq. 3: Flammable liquids – Catego Acute Tox. 4: Acute toxicity – Category 4 Eye Dam. 1: Serious eye damage/eye irm Skin Sens. 1: Skin sensitisation – Catego Skin Sens. 1B: Skin sensitisation – Catego Aquatic Chronic 2: Hazardous to the aqua * Data compared to the previou	ry 3 itation – Category 1 rry 1 gory 1B atic environment - long-term aquatic hazard – Category 2